




CAMBRIDGE LT & 30 AR

LAMINATED SHINGLES >>>



Product featured is *Cambridge Harvard Slate*.



www.iko.com

CAMBRIDGE LT & 30 AR



LAMINATED SHINGLES >>>



IKO Cambridge shingles are laminated to provide a remarkable dimensional thickness, not only for strength, durability, and weather resistance, but also to create an extraordinarily beautiful look for your home. Cambridge is manufactured in a larger size with more exposure to create a high definition “shake” look for your roof. Its double layer construction, using an extra-heavy fiberglass mat and tough modified sealant, provides superior durability and wind resistance. All Cambridge shingles are surprisingly affordable and are the perfect choice to protect and beautify your home.

- Extra heavyweight fiberglass asphalt shingles
- Laminated architectural design
- Cambridge LT & 30 AR feature an algae resistant granule
- Class “A” Fire Resistance Rating^{††}
- Limited wind warranty coverage up to:
 - 90 mph; if installed with 6 nails - **110 mph** for Cambridge LT[†]
 - 70 mph for Cambridge 30 AR[†]
- Product meets IRC wind code requirements
- Limited Lifetime or 30-Year Warranty[†]
- 10 year or 5 year IKO “Iron Clad” protection[†]



Color featured is **Driftwood**.



^{††}Use of an approved underlayment beneath all fiberglass shingles is strongly recommended, especially on roof slopes below 6:12. Class “A” Fire Resistance Rating is achieved only with the installation of an approved underlayment.

[†]See Limited Warranty for details.

Note: IKO Hip & Ridge 12, Gentry Ultra AR or Marathon Ultra AR available for hips and ridges. Product availability subject to shipping area.



ALGAE RESISTANT


Don't let algae ruin the appearance of your roof!

Protect it and keep it looking like new, year after year, by choosing IKO Cambridge LT & 30 AR with **ALGAE RESISTANT** granules. We embed these ceramic-coated copper granules right into our shingles. They're colorfast, so they won't break down in UV light. And the copper in them inhibits the growth of algae, so that your roof won't develop those unsightly black streaks. If you live in an area of high humidity – or even if you don't – insist on IKO Cambridge LT & 30 AR with AR granules to protect your investment. Beautifully.



Class 'A' **A** Fire Resistance Rating

IKO Cambridge shingles feature a Class "A" Fire Resistance Rating^{††}. Class "A" simulates the conditions characteristic of severe external fire hazards. As part of a complete shingle roof system (deck, underlayment and the shingles themselves) Cambridge shingles meet the stringent tests of **ASTM E108** and **CAN/ULC S107**.



Color featured is *Weatherwood*.

CAMBRIDGE



CAMBRIDGE LT & 30 AR




LAMINATED SHINGLES >>>



Specifications	Standards
Length 40-7/8"	ASTM D3462 ASTM D3018 ASTM D3161
Width 13-3/4"	ASTM E108 Class "A" Fire Resistance Rating
Exposure 5-7/8"	CSA A123.5 CSA A123.51 CSA A123.52
Coverage per Bundle LT - 25 sq. ft. 30 AR - 33.3 sq. ft.	
NOTE: All values shown are approximate.	NOTE: Product is designed and tested to comply with ASTM/CSA Standards at time of manufacture prior to packaging.



^ Color featured is *Dual Black*.



Color featured is *Dual Black*.

CAMBRIDGE



CAMBRIDGE LT & 30 AR



LAMINATED SHINGLES >>>



Color Availability	Riviera Red	Dual Brown	Weatherwood	Driftwood	Earthtone Cedar	Dual Black	Charcoal Grey**	Harvard Slate	Dual Grey	Forest Green	Aged Redwood	Heatherwood	Chapel Slate!	National Blue*
Cambridge LT		■	■	■		■	■	■	■	■				
Cambridge 30 AR	■	■	■	■	■	■	■	■	■	■	■	■	■	■

NOTE: Shingle swatches shown are as accurate as modern printing processes allow. Shingle chips shown do not fully represent the entire color blend range of the shingles. To ensure complete satisfaction, please make your final color selection from several full size shingles and view a sample of the product installed on a home.

COLOR AVAILABILITY



Riviera Red



Dual Brown



Weatherwood



Driftwood



Earhtone Cedar



Dual Black



Charcoal Grey**



Harvard Slate



Dual Grey



Forest Green



Aged Redwood



Heatherwood



Chapel Slate¹



National Blue*

**Cambridge LT Charcoal Grey stocked at Wilmington and Hawkesbury plants only.

¹ Cambridge 30 AR Chapel Slate stocked at Hawkesbury plant only.

* Blue granules may fade after extensive exposure to the sun's ultraviolet rays.

CAMBRIDGE



RESIDENTIAL / COMMERCIAL

Consider **IKO Premium Asphalt Shingles** for your next **Commercial** project.

Commercial buildings and rolled roofing naturally go together. But don't overlook the tremendous design possibilities that asphalt shingles have to offer. IKO manufactures asphalt shingles in a huge variety of profiles and colors to suit every project and budget. Hotels, townhouses, professional buildings, restaurants, strip malls and other commercial or industrial buildings can benefit from an aesthetically pleasing roofline. Enhanced curb appeal could even boost the property's resale value.



Product featured is: **Cambridge Forest Green.**



Product featured is: **Cambridge Forest Green.**



Product featured is: **Cambridge Driftwood.**

IKO Worldwide

Canadian Plants

- IKO Brampton
- IKO Calgary
- IKO Hawkesbury
- IKO Madoc
- Canroof - Toronto
- Canroof - Brampton
- IG Machine & Fibers Ltd. - Brampton
- IG Machine & Fibers Ltd. - High River
- IG Machine & Fibers Ltd. - Ashcroft
- GH International
- Bramcal Production Inc.

United States Plants

- IKO Midwest Inc.
- IKO Franklin
- IKO Pacific
- IKO Wilmington
- Fiberteq LLC
- MW/MB LLC

European Plants

- IKO Sales International NV - Belgium
- Asphaltco SA - Belgium
- ATAB NV/ASBO NV - Belgium
- IKO Insulations BV - The Netherlands
- Touwen & Co. BV - The Netherlands
- Meple SA - France
- AWA GMBH - Germany
- Ruberoid - Northern Ireland - Ireland
- Irish Roofing Felts Ltd./Ruberoid - Southern Ireland - Ireland
- Ruberoid Building Products & Permanite Engineered Roofing Systems - UK
- Ruberoid Building Products Ltd. - UK
- Permanite Asphalt - UK
- Marley Waterproofing - UK
- Kingsnorth Bitumen - UK

European Sales Offices

- IKO Dachschildeln Vertrieb GmbH - Germany
- IKO Sp. z. oo. - Poland
- IKO LLC - Russia
- IKO Sales Romania SRL - Romania
- IKO Slovakia s.r.o. - Slovakia
- IKO Magyarorszag Kft - Hungary
- IKO s.r.o. - Czech Republic
- Nebiprofa B.V. - The Netherlands
- Spectrarooft B.V. - The Netherlands

Asian Sales Office

- IKO Sales Shanghai Co. Ltd. - China

Find out more about our products now by talking to an IKO sales representative, your professional roofing contractor or contact us directly at:
United States 1-888-IKO-ROOF, Eastern Canada 1-800-361-5836, Western Canada 1-800-661-1034

or visit our web site at:  www.iko.com

Member of:



Note: Shingle swatches shown are as accurate as modern printing processes allow. Shingle chips shown do not fully represent the entire color blend range of the shingles. To ensure complete satisfaction please make your final color selection from several full size shingles and view a sample of the product installed on a home.

Note: The information in this literature is subject to change without notice. IKO assumes no responsibility for errors that may appear in this literature.






CAMBRIDGE LT & 30

LAMINATED SHINGLES • BARDEAUX LAMINÉ



>>> STRAIGHT CUT • TAILLE DROITE

Product featured is *Cambridge Harvard Slate*.
Produit illustré : *Cambridge Ardoise « Harvard »*.



>>> www.iko.com

CAMBRIDGE LT & 30

LAMINATED SHINGLES • BARDEAUX LAMINÉ >>>



For durability, low maintenance, and great looks at a very attractive price, look to our Cambridge premium architectural shingles. Cambridge shingles are built to last. Double-layer construction and a tough, modified sealant provide for superior tear-strength values and greater resistance to high winds. Biltmore shingles are manufactured in a larger size than most, with the added exposure enhancing the shake-like appearance. Cambridge LT & 30 shingles feature a straight cut design.

- Extra heavyweight fibreglass asphalt shingles
- Laminated architectural design
- Cambridge LT features an algae resistant granule
- Class "A" Fire Resistance Rating^{††}
- Limited wind warranty coverage up to:
 - 145 km/h (90 mph); if installed with 6 nails and manually sealed **177 km/h (110 mph)** for Cambridge LT[†]
 - 112 km/h (70 mph) for Cambridge 30[†]
- Product meets IRC wind code requirements
- Limited Lifetime or 30-year Warranty[†]
- 10 year or 5 year IKO Iron Clad protection[†]

Pour un bardeau à prix abordable, durable, de belle allure qui requiert peu d'entretien, jetez un coup d'œil au bardeau architectural de luxe Cambridge. Il est fabriqué pour durer. Sa double épaisseur combinée à l'adhésif résistant lui donne une résistance supérieure à la rupture et protège très bien contre les vents violents. Contrairement aux autres bardeaux, Cambridge est de dimension plus large ce qui accentue son allure de bardeau de fente. Les bardeaux Cambridge LT & 30 se distinguent par leur taille droite.

- Extra lourds bardeaux de luxe faits d'asphalte et de fibre de verre
- Fini architectural laminé
- Les bardeaux Cambridge LT sont conçus pour résister au développement des algues
- Indice de résistance au feu de classe « A »^{††}
- Garantie limitée contre les vents jusqu'à :
 - La garantie limitée sera valide sous des rafales de 145 km/h (90 m/h); si les bardeaux ont été posés à l'aide de 6 clous et scellés manuellement **177 km/h (110 m/h)** pour les bardeaux Cambridge LT[†]
 - 112 km/h (70 m/h) pour bardeaux Cambridge 30[†]
- Ce produit satisfait les exigences de l'IRC concernant les vents
- Garantie limitée à vie ou 30 ans[†]
- Protection ferme IKO de 10 ans ou 5 ans[†]

[†] See Limited Warranty for details.

NOTE: IKO Hip & Ridge 12, Gentry Ultra AR or Marathon Ultra AR available for hips and ridges. Product availability subject to shipping area.

^{††} Voir la garantie limitée pour les détails.

NOTE: Pour les faites et les arêtes, les produits IKO Hip & Ridge 12, Gentry Ultra AR ou Marathon Ultra AR sont disponibles. Disponibilité des produits selon le centre d'expédition.



NOTE: Cambridge LT shingles feature an algae resistant system with a limited algae resistance warranty[†].
NOTE : Les bardeaux IKO Cambridge LT sont conçus pour résister au développement des algues et une garantie limitée protège contre ces dommages[†]



^{††}Use of an approved underlayment beneath all fiberglass shingles is strongly recommended, especially on roof slopes below 6:12. Class "A" Fire Resistance Rating is achieved only with the installation of an approved underlayment.

^{††}L'usage d'une sous-couche approuvée sous tous les bardeaux de fibre de verre est fortement recommandé, particulièrement sur les toits dont la pente est moins de 6:12. L'indice de résistance au feu de classe « A » est obtenu seulement lorsqu'une sous-couche approuvée est posée.



Colour featured is **Weatherwood**.
Couleur illustrée : **Bois de grange**.

CAMBRIDGE >>>



CAMBRIDGE LT & 30



LAMINATED SHINGLES • BARDEAUX LAMINÉ >>>



Specifications	Fiche technique
Length 1038 mm (40-7/8")	Longueur 1038 mm (40-7/8 po)
Width 349 mm (13-3/4")	Largeur 349 mm (13-3/4 po)
Exposure 149 mm (5-7/8")	Pureau 149 mm (5-7/8 po)
Coverage per Bundle LT - 2.32 m ² (25 sq. ft.) 30 Year - 3.1 m ² (33.3 sq. ft.)	Couverture par paquet LT - 2,32 m ² (25 pi ca.) 30 ans - 3,1 m ² (33,3 pi ca.)
NOTE: All values shown are approximate.	NOTE : Toutes les données sont approximatives.

Standards

CSA A123.5
CSA A123.51
CSA A123.52
ASTM D3462
ASTM D3018
ASTM D3161
ASTM E108 Class "A" Fire Resistance Rating
Indice de résistance au feu de classe « A ».

NOTE: Product is designed and tested to comply with **ASTM/CSA** Standards at time of manufacture prior to packaging.

NOTE : Ce produit est conçu et testé pour se conformer aux exigences **ASTM/CSA** au moment de la fabrication avant son emballage.



AR
Algae Resistant
Réfractaire aux algues

CAMBRIDGE LT
Limited Wind Warranty Up To:
Garantie limitée contre les vents jusqu'à:
177/110
KM/H MPH

A
Class "A" Fire Resistance Rating
Indice de résistance au feu de classe «A»

Colour featured is **Dual Black**.
Couleur illustrée : **Noir double**.

CAMBRIDGE >>>

 **IKO**
Setting the Standard
Établit les standards

CAMBRIDGE LT & 30



LAMINATED SHINGLES • BARDEAUX LAMINÉ >>>



^ Colour featured is **Driftwood**. ^ Couleur illustrée : **Bois flottant**.



Colour featured is **Aged Redwood**.
Couleur illustrée : **Séquoia vieilli**.

CAMBRIDGE >>>

COLOUR AVAILABILITY / COULEURS OFFERTES



Riviera Red / Rouge riviera



Dual Brown / Brun double



Weatherwood / Bois de grange



Driftwood / Bois flottant



Earthtone Cedar / Cèdre « Earthtone »



Dual Black / Noir double



Charcoal Grey / Gris charbon



Harvard Slate / Ardoise « Harvard »



Dual Grey / Gris double



Forest Green / Vert forêt



Aged Redwood / Séquoia vieilli



Heatherwood / Bois cendré

Colour Availability Couleurs offertes	Riviera Red Rouge riviera	Dual Brown Brun double	Weatherwood Bois de grange	Driftwood Bois flottant	Earthtone Cedar Cèdre « Earthtone »	Dual Black Noir double	Charcoal Grey Gris charbon	Harvard Slate Ardoise « Harvard »	Dual Grey Gris double	Forest Green Vert forêt	Aged Redwood Séquoia vieilli	Heatherwood Bois cendré	National Blue* Bleu national*
Cambridge LT		■	■	■		■	■	■	■	■			
Cambridge 30	■	■	■	■	■	■	■	■	■	■	■	■	■

*Blue granules may fade after extensive exposure to the sun's ultraviolet rays.

*Le granulat bleu pourrait perdre sa couleur après une longue exposition aux rayons ultraviolets.



National Blue* / Bleu national*

NOTE: Shingle swatches shown are as accurate as modern printing processes allow. Shingle chips shown do not fully represent the entire colour blend range of the shingles. To ensure complete satisfaction, please make your final colour selection from several full size shingles and view a sample of the product installed on a home.

NOTE : Les échantillons de bardeaux sont reproduits aussi précis que le permettent les techniques modernes d'impression. Les pièces de bardeau illustré ne représente pas complètement toutes les couleurs. Avant d'arrêter votre choix de couleur, assurez-vous d'examiner plusieurs échantillons pleine grandeur et de voir le produit déjà installé sur une maison.



GoldShield

Premium Ice & Water Protector
Protecteur de luxe contre l'eau et la glace

ArmourGard

Ice & Water Protector
Protecteur contre l'eau et la glace

ProTecto


Standard Ice & Water Protector
Protecteur standard contre l'eau et la glace

"Invisible" protection against roof leaks.

- Helps prevent water leakage due to ice dams and wind-driven rain
- Improved flexibility for superior performance
- Slip-resistant surface for safe application
- Tear-resistant membrane
- Self-adhesive for watertight sealing
- Self-sealing around roofing nails
- Meets most building code requirements

Une protection invisible contre les fuites.

- Aide à prévenir les fuites causées par l'amoncellement de glace et la pluie balayée par le vent
- Élasticité améliorée témoignant d'une performance supérieure
- Surface antidérapante favorisant la sécurité durant l'installation
- Membrane résistante aux déchirures
- Autoadhésif permettant l'imperméabilisation recherchée
- Autocollant autour des clous à toiture
- Satisfait la plupart des exigences des codes du bâtiment



Use IKO GoldShield Premium Ice & Water Protector, ArmourGard Ice & Water Protector or ProTecto Standard Ice & Water Protector on these critical roof areas.

Appliquez le protecteur de luxe contre l'eau et la glace GoldShield d'IKO, le protecteur contre l'eau et la glace ArmourGard ou le protecteur standard contre l'eau et la glace ProTecto à ces endroits vulnérables sur le toit.

Specifications (approximate) / Fiche Technique (approximatif)

GoldShield		ProTecto
Length Longueur	20.30 m (67')	19.8 m (65')
Width Largeur	914 mm (36")	914 mm (36")
Roll Contents Contenu du rouleau	18.58 m ² (200 sq. ft.)	18.1 m ² (195 sq. ft.)
Thickness Épaisseur	1 mm (40 mil)	1.4 mm (55 mil)
ArmourGard	1 square / 1 carré	2 square / 2 carré
Length Longueur	10.2 m (33' 4")	19.8 m (65')
Width Largeur	914 mm (36")	914 mm (36")
Roll Contents Contenu du rouleau	9.2 m ² (100 sq. ft.)	18.1 m ² (195 sq. ft.)
Thickness Épaisseur	1.7 mm (67 mil)	1.7 mm (67 mil)

IKO Worldwide / IKO dans le monde

Canadian Plants

Usines au Canada

- IKO Brampton
- IKO Calgary
- IKO Hawkesbury
- IKO Madoc
- Canroof - Toronto
- Canroof - Brampton
- IG Machine & Fibers Ltd. - Brampton
- IG Machine & Fibers Ltd. - High River
- IG Machine & Fibers Ltd. - Ashcroft
- GH International
- Bramcal Production Inc.

United States Plants

Usines des États-Unis

- IKO Midwest Inc.
- IKO Franklin
- IKO Pacific
- IKO Wilmington
- Fiberteq LLC
- MW/MB LLC

European Plants

Usines de l'Europe

- IKO Sales International NV - Belgium
- Asphaltco SA - Belgium
- ATAB NV/ASBO NV - Belgium
- IKO Insulations BV - The Netherlands
- Touwen & Co. BV - The Netherlands
- Meple SA - France
- AWA GMBH - Germany
- Ruberoid - Northern Ireland - Ireland
- Irish Roofing Felts Ltd./Ruberoid - Southern Ireland - Ireland
- Ruberoid Building Products & Permanite Engineered Roofing Systems - UK
- Ruberoid Building Products Ltd. - UK
- Permanite Asphalt - UK
- Marley Waterproofing - UK
- Kingsnorth Bitumen - UK

European Sales Offices

Bureaux de vente européens

- IKO Dachschildeln Vertrieb GmbH - Germany
- IKO Sp. z. oo. - Poland
- IKO LLC - Russia
- IKO Sales Romania SRL - Romania
- IKO Slovakia s.r.o. - Slovakia
- IKO Magyarorszag Kft - Hungary
- IKO s.r.o. - Czech Republic
- Nebiprofa B.V. - The Netherlands
- Spectraroof B.V. - The Netherlands

Asian Sales Office

Bureau de vente asiatique

- IKO Sales Shanghai Co. Ltd. - China

Find out more about our products now by talking to an IKO sales representative, your professional roofing contractor or contact us directly at:
Eastern Canada 1-800-361-5836, Western Canada 1-800-661-1034, United States 1-888-IKO-ROOF

Pour plus d'information concernant nos produits, contactez un représentant IKO ou un maître-couvreur ou contactez-nous directement à :
pour l'Est du Canada 1-800-361-5836, pour l'Ouest du Canada 1-800-661-1034, ou pour les États-Unis 1-888-IKO-ROOF

or visit our web site at:
visitez notre site web :

➤ www.iko.com

Note: Shingle swatches shown are as accurate as modern printing processes allow. Shingle chips shown do not fully represent the entire colour blend range of the shingles. To ensure complete satisfaction please make your final colour selection from several full size shingles and view a sample of the product installed on a home.

Note: The information in this literature is subject to change without notice. IKO assumes no responsibility for errors that may appear in this literature.

Note: Les échantillons de bardeaux sont reproduits aussi précis que le permettent les techniques modernes d'impression. Les pièces de bardeau illustré ne représente pas complètement toutes les couleurs. Avant d'arrêter votre choix de couleur, assurez-vous d'examiner plusieurs échantillons pleine grandeur et de voir le produit déjà installé sur une maison.

Note: L'information contenue au présent document peut changer sans préavis. IKO ne se tient aucunement responsable des erreurs contenues au présent document.

Member of / Membre de :

